




CORPORATE INTRODUCTION

ABOUT ENBIO

We have 25 years of experience in combining state-of-the-art biotechnological solutions with fantastic designs. Thanks to our passion and the persistent pursuit of purpose, our Enbio Class B steam sterilisers are the ones taking over Europe right now.





ENBIO GROUP AG

Part of global investment group with a turnover of 100 mln EUR.



PRODUCTION LOCATION

Production takes place at our
facility in Oensingen, **Switzerland**.





CERTIFIED PERFECTION



B CLASS STERILIZATION
TYPE (HIGHEST)



CERTIFIED
MEDICAL DEVICE



BEAUTY



DENTISTRY




SURGERY



VETERINARY



TATTOO



PODIATRY




PERFECT DESIGN

We create revolutionary solutions with attention to modern design.



reddot award 2017
winner



SPACIOUS

It will fit any interior thanks to its compact size (56x25x16cm). At the same time, it has the space for all the standard tools, in their packaging or without it.



QUIET

It produces less noise than common coffee machines. You can work comfortably.



THE FASTEST

Why would you waste an hour on something you can do in **7 minutes**? **Enbio Class B** is the fastest sterilizer on the market. It is also gloriously intuitive and easy to use.



ATTRIBUTES



DOCUMENTATION

No more saving and printing.
Your reports are automatically saved
on the inserted USB Memory stick.



SWISS MADE

Ensure the highest level of safety for
you and your Customers with the Swiss
technology.



INTUITIVE TOUCH INTERFACE

No programming. No logging in.
Sterilization in just two steps - switch it
on, choose your mode, use it.



ENBIO s - PROGRAMS

Fastest autoclave in the world for tools sterilization
in medical and beauty sector.



7 min
134°C FAST



15 min
134°C




30 min
121°C

TECHNICAL DATA ENBIO s

Class	B
Power supply	220-230V AC / 50/60Hz
Installed power	3250 W
Max. power consumption	15A
Working pressure	2,1 Bar
Max. pressure	2,3 Bar
Max. process temperature	137°C
Process chamber volume	2,7 l
Programs	134°C FAST 134°C 121°C
Max. packages amount (circa)	8
Max. weight of the load	0,5 kg

Mass	15 kg
Level of security	IP20
Data archiving	USB Memory stick
Water supply*	external
* demineralized or distilled water only	





ENBIO PRO - PROGRAMS

Fastest autoclave in the world for tools sterilization in medical and beauty sector.



10 min
134°C FAST



19 min
134°C



30 min
121°C



45 min
134°C PRION*


*The **PRION** program is dedicated as one of the stages of decontamination of objects which are suspected to have had or may have had contact with pathologically altered prion proteins (e.g. Creutzfeldt-Jakob disease, BSE, etc.).

TECHNICAL DATA ENBIO PRO

Class	B
Power supply	230V/50Hz
Installed power	3250 W
Max. power consumption	15A
Working pressure	2,1 Bar
Max. pressure	2,3 Bar
Max. process temperature	138°C
Process chamber volume	5,3 l
Programs	134°FAST 134° 121° PRION
Max. packages amount (circa)	16
Max. weight of the load	0,8 kg

Mass	20 kg
Level of security	IP20
Data archiving	USB Memory stick
Water supply*	external

* demineralized or distilled water only




SERVICE ENBIO



AFTER WARRANTY

The warranty comes together with the ordered device.



REPLACEMENT DEVICE

In case of service needs, we will provide a replacement device in the meantime.


Warranty in the **door-to-door** system (we send a replacement device).

24/7 service



TECHNICAL SUPPORT

Our repair warranty keeps your business operating.



SERVICE CHECK-UP

Quick repair.

Enbio, as a medical device class IIb, meets all requirements related to the 93/42/EEC "Medical devices" directive.
Enbio, as a B class autoclave, meets all requirements of the ISO EN13060 "Small steam sterilisers" standard.






COLORS


Fastest autoclave on the world for tools sterilization in various colors.
Excellent technical parameters and unique design in one.




**Midnight
Blue**



**Dolly
Pink**



**Ashy
Stone**



White



ENBIO s

6x SMALLER

Efficiency:

- ≈ 2 kg per hour
- ≈ 50 tools per hour
- ≈ 30 packages per hour

ENBIO PRO

4x SMALLER


Efficiency:

- ≈ 3.2 kg per hour
- ≈ 80 tools per hour
- ≈ 50 packages per hour

ENBIO COMPETITORS




Product Name	LINA	ELARA	VACUKLAV 18+	ENBIO s	ENBIO PRO
Manufacturer	W&H	Tuttnauer	Melag	Enbio	Enbio
Average process time	50 min	55 min	60 min	15 min	19 min
Dimensions	45 x 43.5 x 60 cm	53 x 44 x 63 cm	48 x 42 x 70 cm	56 x 25 x 16 cm	56 x 27 x 20 cm
Price	3650,00 €	3680,00 €	3200,00 €	1190,00 €	1460,00 €



MAINTENANCE PARTS


- HEPA filter, every 1000 runs
- tray ENBIO
- front seal
- water in and out tube sets





ENBIO SAFE is more than just an initiative,
it is **awareness, education** and **community**.
Join Enbio Safe - because **WE ALL CARE**.

Show clients that your center is safe. 
Join Enbio Safe !



MARKETING SUPPORT

- REGULAR PRODUCT TRAININGS
- LIVE WEBINARS
- ONGOING SOCIAL MEDIA CAMPAIGN
- GOOGLE AND YOUTUBE CAMPAIGN
- PRESS ADVERTISEMENT
- INFLUENCERS COOPERATION
- MARKETING KIT



ENBIO TABLE

Dimensions

Height – 700 mm


Width – 300 mm

Length – 600 mm

Power supply

220-240V AC~ / 50/60 Hz

Net price: 210,00 EUR



MAGIC FILTER

Enbio Magic Filter is a filter that allows you to recycle the water used by the sterilizer. The ion exchange resin contained in the Enbio Magic Filter allows the treatment of waste water to the level of deionized water.

Net price: 20,00 EUR



Thank you