

PODIATRY PRICE LIST FEBRUARY 2021



Passion for
Quality

NAMRØL
GROUP



Namrol, more than two decades producing high quality equipment.



MEDICAL DEVICES • QUALITY MANAGEMENT
MEDICAL DEVICES
LICENSE NUMBER
6438-PS



DUNA TOUCH

REF.	STANDARD EQUIPMENT	€
EN-900	<ul style="list-style-type: none"> Steel structure without joints, with HS paint, containing mechanical and electrical devices. Touch-Screen display for chair control with three memories, zero position and all movements of the podiatry chair and unit control with controls for speed adjustment, micromotor revolution inversion, aspiration control and the water programs of the spray micromotors. SMD N-109 electronic card of new generation. Spin Console with capacity for four tools maximum. Max four tools. Multifunction control pedal. 4 drawers of 35cm each, mounted on silent wheels with an ergonomic handle integrated in the drawer with automatic locking. The cover is a treated surface with bacteriostatic protection available only in White color. (740 x 500 mm). Internal safety device of overpressure air. Front door. AVAILABLE SECOND QUARTER 2021 	

DUNA



REF.	STANDARD EQUIPMENT	€
EN-850	<ul style="list-style-type: none"> Steel structure without joints, with HS paint, containing mechanical and electrical devices. Control panel with chair movements and instruments regulation controls. SMD N-109 electronic card of new generation. Spin Console with capacity for four tools maximum. Max four tools. Multifunction control pedal. 4 drawers of 35cm each, mounted on silent wheels with curved handles attached to drawer with automatic locking. The cover is a treated surface with bacteriostatic protection available only in White color. (740 x 500 mm). Internal safety device of overpressure air. Front door 	

MAXIMA



REF.	STANDARD EQUIPMENT	€
EN-680	<ul style="list-style-type: none"> Steel structure without joints, with HS paint, containing mechanical and electrical devices. Luminous touch pad on the console with controls for speed adjustment, micromotor revolution inversion, suction control and the water programs of the spray micromotors SMD N-109 electronic card of new generation Spin Console with a return cable system with capacity for five tools maximum, mounted over two spin axis Multifunction control pedal. 4 drawers of 35cm each, mounted on silent wheels with an ergonomic handle with automatic locking. The cover is a treated surface with bacteriostatic protection available (760 x 478 mm) Internal safety device of overpressure air. Front door 	

FUTURA PLUS XL



REF.	STANDARD EQUIPMENT	€
EN-657	<ul style="list-style-type: none"> Extractable module with wheels Steel structure without joints, with HS paint, containing mechanical and electrical devices. Spin console with capacity for four tools maximum, Ergonomic articulated arm mounted over two spin axis. SMD N-109 electronic card of new generation. Multifunction control pedal. Luminous touch pad and LCD viewer with controls for speed adjustment, micromotor revolution inversion, suction control and the water programs of the spray micromotors 4 drawers of 35cm each, mounted on silent wheels with an ergonomic handle with automatic locking. The cover is a treated surface with bacteriostatic protection available in (1250 x 478 mm) Internal safety device of overpressure air. Front door 	

FUTURA DUO



REF.	STANDARD EQUIPMENT	€
EN-662	<ul style="list-style-type: none"> • Steel structure without joints, with HS paint, containing mechanical and electrical devices. • Spin console with capacity for four tools maximum, • Ergonomic articulated arm mounted over two spin axis. • SMD N-109 electronic card of new generation. • Multifunction control pedal. • Luminous touch pad and LCD viewer with controls for speed adjustment, micromotor revolution inversion, suction control and the water programs of the spray micromotors • 8 drawers of 35cm each, mounted on silent wheels with an ergonomic handle with automatic locking. • The cover is a treated surface with bacteriostatic protection available in (1150 x 478 mm) • Internal safety device of overpressure air. • 2 x Front door • Attached module 	

FUTURA AVANT



REF.	STANDARD EQUIPMENT	€
EN-661	<ul style="list-style-type: none"> • Steel structure without joints, with HS paint, containing mechanical and electrical devices. • Spin console with capacity for four tools maximum, • Ergonomic articulated arm mounted over two spin axis. • SMD N-109 electronic card of new generation. • Multifunction control pedal. • Luminous touch pad and LCD viewer with controls for speed adjustment, micromotor revolution inversion, suction control and the water programs of the spray micromotors • 4 drawers of 35cm each, mounted on silent wheels with an ergonomic handle with automatic locking. • The cover is a treated surface with bacteriostatic protection available in (1250 x 478 mm) • Internal safety device of overpressure air. • Front door 	

FUTURA PLUS



REF.	STANDARD EQUIPMENT	€
EN-660	<ul style="list-style-type: none"> • Steel structure without joints, with HS paint, containing mechanical and electrical devices. • Spin console with capacity for four tools maximum, • Ergonomic articulated arm mounted over two spin axis. • SMD N-109 electronic card of new generation. • Multifunction control pedal. • Luminous touch pad and LCD viewer with controls for speed adjustment, micromotor revolution inversion, suction control and the water programs of the spray micromotors • 4 drawers of 35cm each, mounted on silent wheels with an ergonomic handle with automatic locking. • The cover is a treated surface with bacteriostatic protection available in (760 x 478 mm) • Internal safety device of overpressure air. • Front door 	

STYLO



REF.	STANDARD EQUIPMENT	€
EN-501	<ul style="list-style-type: none"> • Steel structure without joints, with HS paint, containing mechanical and electrical devices. • Hanging bracket joined to the structure for max three tools. • Luminous touch pad on the console with controls for speed adjustment, micromotor revolution inversion, aspiration control and the water programs of the spray micromotors • SMD N-108 electronic card of new generation • Multifunction control pedal. • 4 drawers of 35cm each, mounted on silent wheels with an ergonomic handle with automatic locking. • The cover is a treated surface with bacteriostatic protection available (760 x 478 mm) • Internal safety device of overpressure air. • Front door 	

STYLO (LEFT HAND)

REF.	STANDARD EQUIPMENT	€
EN-501Z	<ul style="list-style-type: none"> • Same as Stylo but produced for left hand professionals 	



REF.	DESCRIPTION	€
EN-001	NAMROL MICROMOTOR GT40 Electrical micromotor 40,000 rpm self-ventilating	
EN-034	HANDPIECE PM70 BY NSK E-intra straight handpiece without spray	
EN-003	HIDRASPRAY INTERNAL DEVICE FOR MICROMOTORS Hidaspray internal devices for micromotors Bien-Air and NSK with spray	
EN-004	BIEN-AIR CARBON BRUSH MICROMOTOR Bien-Air electrical micromotor with internal spray	
EN-005	HANDPIECE PM60 BY BIEN-AIR E-intra straight handpiece with internal spray	
EN-032	MCX BRUSHLESS MICROMOTOR Bien-Air Brushless micromotor with internal spray + cord + PCB	
EN-039	MCX LED BRUSHLESS MICROMOTOR Bien-Air Brushless micromotor with LED light and Internal spray + cord + PCB	
EN-068	NLX NANO LED BRUSHLESS MICROMOTOR NSK Brushless micromotor with LED light and Internal spray + cord + PCB	
EN-055	NSK NBX CARBON BRUSH MICROMOTOR NSK electrical micromotor with internal spray + cord	
EN-067	NSK NBX LED CARBON BRUSH MICROMOTOR NSK electrical micromotor with LED light and Internal spray + cord	
EN-054	HANDPIECE NSK X65 E-intra straight handpiece with internal spray	
EN-044	HANDPIECE NSK X65L E-intra straight handpiece with internal spray and light	
EN-052	HANDPIECE NSK PX65 E-intra straight handpiece with internal spray (Wide spray area)	

REF.	DESCRIPTION	€
EN-006	3 FUNCTION SYRINGE With water, air, and spray	
EN-011	HIDRASPRAY INTERNAL DEVICE FOR TURBINES Internal device for Turbine functions	
EN-012	BIEN-AIR TURBINE 360° ROTATION Bien-Air turbine with internal spray and Unifix	
EN-064	BIEN-AIR TURBINE Bien-Air turbine with internal spray	
EN-013	FOOT SPEED CONTROL Foot pedal with speed adjustment	
EN-013F	CHIP BLOWER FOOT CONTROL Foot pedal with functions: Chip air, Spray, Motive air. Activates all spray and air functions of the instruments	
EN-041	SILENT COMPRESSOR 1/2 h.p. Quiro-Air maintenance-free silent compressor (syringe use only)	
EN-045	SILENT COMPRESSOR 1 h.p. Quiro-Air maintenance-free silent compressor (for micromotors with spray and turbines)	
EN-008	SUCTION TURBINE Side channel suction unit (1.650 l/min.) with double silencer and container.	
EN-015	SUCTION CANNULA Suction cannula with D.11 ultraflex tube	
EN-018	CASTORS SET Integrated 4 castors set For Stylo and Futura Plus	
EN-070	DOUBLE SIZE DRAWER Configuration of 2 drawers of 80 mm. + 1 drawer of 160 mm.	
EN-019	INPUT FOR EXTERNAL COMPRESSOR Diameter 8 input with pressure regulator and filter	





EPSYLON PLUS

REF.	STANDARD EQUIPMENT	€
EN-470	<ul style="list-style-type: none"> Ergonomic arm, mounted over two spin axis, with HS paint, containing mechanical and electrical devices and start up and motion controls. LCD Control panel with chair movements and instruments regulation controls. Tray for instruments joined to the arm, Spin Console with capacity for four instruments maximum SMD N-109 electronic card of new generation Multifunction control pedal. Chair holding system with arm binding. (UNIT TO BE MOUNTED ON CHAIRS WITH 3 OR 4 MOTORS) 	



EPSYLON

REF.	STANDARD EQUIPMENT	€
EN-420	<ul style="list-style-type: none"> Ergonomic arm, mounted over two spin axis, with HS paint, containing mechanical and electrical devices and start up and motion controls. Control panel with instruments controls. Tray for instruments joined to the arm, Spin Console with capacity for four instruments maximum SMD N-109 electronic card of new generation Multifunction control pedal. Chair holding system with arm binding. (UNIT TO BE MOUNTED ON BETA OR DELTA CHAIR) 	

EPSYLON AND EPSYLON PLUS ACCESORIES

REF.	DESCRIPTION	€
EN-001	NAMROL MICROMOTOR GT40 Electrical micromotor 40,000 rpm self-ventilating	
EN-034	HANDPIECE PM70 BY NSK E-intra straight handpiece without spray	
EN-003	HIDRASPRAY INTERNAL DEVICE FOR MICROMOTORS Hidaspray internal devices for micromotors Bien-Air and NSK with spray	
EN-004	BIEN-AIR CARBON BRUSH MICROMOTOR Bien-Air electrical micromotor with internal spray	
EN-005	HANDPIECE PM60 BY BIEN-AIR E-intra straight handpiece with internal spray	
EN-032	MCX BRUSHLESS MICROMOTOR Bien-Air Brushless micromotor with internal spray + cord + PCB	
EN-039	MCX LED BRUSHLESS MICROMOTOR Bien-Air Brushless micromotor with LED light and Internal spray + cord + PCB	





EN-068 NLX NANO LED BRUSHLESS MICROMOTOR
NSK Brushless micromotor with LED light and Internal spray + cord + PCB



EN-055 NSK NBX CARBON BRUSH MICROMOTOR
NSK electrical micromotor with internal spray + cord



EN-067 NSK NBX LED CARBON BRUSH MICROMOTOR
NSK electrical micromotor with LED light and Internal spray + cord



EN-054 HANDPIECE NSK X65
E-intra straight handpiece with internal spray



EN-044 HANDPIECE NSK X65L
E-intra straight handpiece with internal spray and light



EN-052 HANDPIECE NSK PX65
E-intra straight handpiece with internal spray (Wide spray area)



EN-036 3 FUNCTION SYRINGE
With water, air, and spray



EN-011 HIDRASPRAY INTERNAL DEVICE FOR TURBINES
Internal device for Turbine functions



EN-012 BIEN-AIR TURBINE 360° ROTATION
Bien-Air turbine with internal spray and Unifix



EN-064 BIEN-AIR TURBINE
Bien-Air turbine with internal spray



EN-013 FOOT SPEED CONTROL
Foot pedal with speed adjustment



EN-037 BOX SILENT COMPRESSOR 1/2 h.p.
Box Quiro-Air maintenance-free silent compressor. (Syringe use only)



EN-046 BOX SILENT COMPRESSOR 1 h.p.
Box Quiro-Air Plus maintenance-free silent compressor. (Mic. Spray and turbine use)



EN-038 BOX SUCTION SYSTEM
Box Aerobox with side channel suction module with waste container.



SN-806 SUCTION CANNULA
Cannula suction bracket, attached to the chair.



ACTIU

REF.	STANDARD EQUIPMENT	€
EN-491	<ul style="list-style-type: none"> Steel structure without joints, with HS paint, containing mechanical and electrical devices. Spin console with capacity for four tools maximum, Ergonomic articulated arm mounted over two spin axis. SMD N-109 electronic card of new generation. Multifunction control pedal. Luminous touch pad LCD viewer with controls for speed adjustment, micromotor revolution inversion, aspiration control and the water programs 3 drawers of 35cm each, mounted on silent wheels with an ergonomic handle with automatic locking. The cover is a heavy duty surface available in white (58x52 cm.) 4 wheels with blocking system Front door 	

ACTIU ACCESORIES

REF.	DESCRIPTION	€
EN-001	NAMROL MICROMOTOR GT40 Electrical micromotor 40,000 rpm self-ventilating	
EN-034	HANDPIECE PM70 BY NSK E-intra straight handpiece without spray	
EN-003	HIDRASPRAY INTERNAL DEVICE FOR MICROMOTORS Hidraspray internal devices for micromotors Bien-Air and NSK with spray	
EN-055	NSK NBX CARBON BRUSH MICROMOTOR NSK electrical micromotor with internal spray + cord	
EN-067	NSK NBX LED CARBON BRUSH MICROMOTOR NSK electrical micromotor with LED light and Internal spray + cord	
EN-054	HANDPIECE NSK X65 E-intra straight handpiece with internal spray	
EN-044	HANDPIECE NSK X65L E-intra straight handpiece with internal spray and light	
EN-052	HANDPIECE NSK PX65 E-intra straight handpiece with internal spray (Wide spray area)	
EN-006	3 FUNCTION SYRINGE With water, air, and spray	
EN-057	PISTON COMPRESSOR Maintenance-free compressor	
EN-058	SUCTION SYSTEM Side channel suction unit (1.200 l/min.) with powder container	
EN-015	SUCTION CANNULA Suction cannula with ultraflex tube	
EN-013	FOOT SPEED CONTROL Foot pedal with speed adjustment	



LED



LED



ILLUMINATION



REF.	DESCRIPTION	€
EN-020D	LAMP SUPPORT Front lamp support for magnifying lamps	
EN-020	COLUMN SUPPORT Rear support for EN-021	
EN-021	COLUMN For installation of articulated arm lamps	
LN-702	JET LED Magnifying lamp	
LN-704	APLI LED Medical lamp	
LN-717	EDI Halogen articulated arm lamp Self-ventilating	
LN-722	MAIA LED articulated arm lamp. 175 x 100 mm spotlight area. 2-D rotation	
LN-740	MP3020 LED articulated arm lamp. 300 x 200 mm spotlight area. 3-D rotation	
LN-724	ALYA + THEIA TECH LED lighting system which enhances the view range of the operative area	
LN-727	ALYA CAM LED articulated arm lamp with integrated HD videocamera	
LN-725	ALYA PODO CEILING SUPPORT Ceiling support with transformer, cover and 130cm. column	



MULTIMEDIA ACCESSORIES

REF.	DESCRIPTION	€
EN-702	COLUMN WITH VESA SUPPORT 160° rotation VESA support	
EN-023	ARTICULATED ARM WITH MONITOR 21" Ultra bright monitor + 20 cm moving arm with VESA adapter. (Column EN-021 not included)	
EN-024	ARTICULATED ARM FOR MONITOR 20 cm articulated arm for monitor with column adaptor, completely wired HDMI + 230V. (Monitor and column EN-021 not included)	
EN-025	INTEGRATED KEYBOARD Tray with integrated keyboard and manual exit	

FURNITURE



REF.	DESCRIPTION	€
MN-001	Work-station with castors – 4 drawers	
MN-002	Module with 4 drawers and lower door	
MN-003	Module with 2 drawers, 1 big drawer and lower door	
MN-004	Module with sink and lower door	
MN-005	Module with sink without lower door	
EX-100	EXPENDBOX	



ZETA 3

REF.	DESCRIPTION	€
SN-717	Zeta 3 features electric of adjustment seat height and tilt, back rest inclination and leg rests. Arms synchronized with the backrest, independently foldable. Double extensible leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	

ZETA 4

REF.	DESCRIPTION	€
SN-718	Zeta 4 features electric of adjustment seat height and tilt, back rest inclination and leg rests. Arms synchronized with the backrest, independently foldable. Double extensible leg rest, with electrical movement. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	

ZETA 5

REF.	DESCRIPTION	€
SN-719	Zeta 5 features electric of adjustment seat height and tilt, back rest inclination and leg rests. Arms synchronized with the backrest, independently foldable. Double extensible leg rest, with independent electrical movements. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	



ZETA P3

REF.	DESCRIPTION	€
SN-727	Zeta 3 features electric of adjustment seat height and tilt, back rest inclination and leg rests. Arms synchronized with the backrest, independently foldable. Single extensible leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	

ZETA P4

REF.	DESCRIPTION	€
SN-728	Zeta 4 features electric of adjustment seat height and tilt, back rest inclination and leg rests. Arms synchronized with the backrest, independently foldable. Single electrical leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	



NOVA 3

REF.	DESCRIPTION	€
SN-853E	Nova 3 features electric seat height and tilt adjustment, electric back rest adjustment and a manual leg rest operated by gas spring. Upholstered arms synchronized with the backrest, independently foldable. Double extensible leg rests with side opening, 90° foldable. 360° rotation, anti-overturning system. Automatic reset pedal. Imitation leather seamless upholstery blood-resistant.	



NOVA 4

REF.	DESCRIPTION	€
SN-854E	Nova 4 features electric of adjustment seat height and tilt, back rest inclination and leg rests. Arms synchronized with the backrest, independently foldable. Double extensible leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	

SIGMA 4

REF.	DESCRIPTION	€
SN-708E	The Sigma 4 features electric of adjustment seat height and tilt, back rest inclination and leg rest. Arms synchronized with the backrest, independently foldable. Single extensible leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather upholstery, blood-resistant.	



SIGMA 3

REF.	DESCRIPTION	€
SN-707E	The Sigma 3 features electric seat height and tilt adjustment, electric back rest adjustment and a manual leg rest operated by gas spring. Arms synchronized with the backrest, independently foldable. Single extensible leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather upholstery, blood-resistant.	

OMEGA 4

REF.	DESCRIPTION	€
SN-706E	The Omega 4 features electric of adjustment seat height and tilt, back rest inclination and leg rests. Arms synchronized with the backrest, independently foldable. Double extensible leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	



OMEGA 3

REF.	DESCRIPTION	€
SN-705E	The Omega 3 features electric seat height and tilt adjustment, electric back rest adjustment and a manual leg rests operated by gas spring. Arms synchronized with the backrest, independently foldable. Double extensible leg rest, 90° foldable. 360° rotation, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather seamless upholstery blood-resistant.	



OMEGA 3 PLUS

REF.	DESCRIPTION	€
SN-705BE	Idem Omega 3 but with double splitted leg rests.	

DELTA



REF.	DESCRIPTION	€
SN-703E	Electric adjustment of height synchronised with seat tilt and electric adjustment back rest. Upholstered arms synchronized with the backrest, independently foldable. Double extensible leg rests with side opening, 90° foldable. 360° rotation, anti-overturning system. Automatic reset pedal. Imitation leather seamless upholstery blood-resistant.	

DELTA PLUS

REF.	DESCRIPTION	€
SN-712E	The Delta Plus features electric seat height and electric tilt adjustment, back rest adjustment by gas spring and a manual leg rests operated by gas spring. Upholstered arms synchronized with the backrest, independently foldable. Double extensible leg rests with side opening, 90° foldable. 360° rotation, anti-overturning system. Automatic reset pedal. Imitation leather seamless upholstery blood-resistant.	

BETA



REF.	DESCRIPTION	€
SN-702E	Electric adjustment of height synchronised with seat tilt Manual back rest operated by gas spring. Upholstered arms synchronized with the backrest, independently foldable. Double extensible leg rests with side opening, 90°, anti-overturning system. Automatic reset pedal. Imitation leather seamless upholstery blood-resistant.	

PENTA



REF.	DESCRIPTION	€
SN-701E	Electric adjustment of height synchronised with seat tilt Manual back rest operated by gas spring. Arm rest independently foldable. Double extensible leg rests with side opening, 90° foldable. 140° rotation, anti-overturning system. Automatic reset pedal. Imitation leather seamless upholstery blood-resistant.	

ELYSE 3



REF.	DESCRIPTION	€
SN-843E	The Elyse 3 features electric seat height and tilt adjustment, electric back rest adjustment and a manual leg rest operated by gas spring. Arms synchronized with the backrest, independently foldable. Single extensible leg rest, 90° foldable, anti-overturning system. Multifunction pedal with 3 working programs, including reset mode, with safety stop. Imitation leather upholstery, blood-resistant.	

PATIENT CHAIRS ACCESSORIES

REF.	DESCRIPTION	€
SN-801	ERGONOMIC HEADREST With height adjustment (not valid for Vela and Elyse)	
SN-807	TRAY/COVERS Polycarbonate leg rest tray/covers (pair).	
SN-907	TRAYS Plastic leg rest tray with inox support (pair).	
SN-812	SIGMA TRAY Aluminium tray with support for Simga 3 and 4	
SN-804	LAMP SUPPORT Arm Lamp bracket, with column, attached to the chair (not valid for Penta)	
SN-809	MAGNIFYING LAMP SUPPORT Magnifying lamp bracket, attached to the chair (not valid for Penta).	
SN-861	PAPER ROLL HOLDER Paper roll support attached on backrest	
CFM	Hand switch (instead foot control)	
CFM2	Additional Hand switch control	
SN-880	Bluetooth Wireless Foot Control (instead wired foot control) (Available second quarter 2021)	
SN-8802	Additional Bluetooth Wireless Foot Control (Available second quarter 2021)	
SN-808	PROTECTION SCREEN UPHOLSTERED Protection Screen can be attached to either side of the chair.	



ELITE ARM



REF.	DESCRIPTION	€
EN-421	Elite arm with console for micromotor box and magnifying lamp holder (lamp not included)	
EN-422	Magnifying lamp arm	
EN-423	Instrument tray	
EN-021	Column for lamp (Edi/Alya)	

STOOLS



REF.	DESCRIPTION	€
SE-702	COSMOS The seat height and back rest height of the Cosmos operator chair can be adjusted.	
SE-706	MONZA It is possible to adjust the height of the stool through gas spring.	
SE-703	CORSA Very healthy, incredibly comfortable "Saddle seat" It is possible to adjust the height of the stool through gas spring.	
SE-704	CORSA-V Very healthy, incredibly comfortable "Saddle seat" with backrest. It is possible to adjust the height of the stool through gas spring.	
SE-707	CORSA-L Very healthy, incredibly comfortable "Saddle seat" with backrest. It is possible to adjust the height of the stool through gas spring.	
SE-706T	MONZA-T It is possible to adjust the height of the stool through gas spring.	



GRINDTEC

REF.	DESCRIPTION	€
PN-300	Intensive grinding machine with 2 H.P. motor, able to work 2 persons at same time. With professional 2.180 m ³ /h suction power.	
PN-301	Powder box with tray.	



GRINDCAB DIGITAL

REF.	DESCRIPTION	€
PN-216	1.H.P. Grinding Cabine. Front access with door and disposable bag. With Digital control keyboard LED lightning.	

GRINDCAB

REF.	DESCRIPTION	€
PN-215	1.H.P. Grinding Cabine. Front access with door and disposable bag. LED lightning.	



ORTOTEC DIGITAL

REF.	DESCRIPTION	€
PN-217	1.H.P. Grinder with professional 1,500 m ³ /h suction power. Front access with door and disposable bag. With Digital control keyboard. LED lightning.	

ORTOTEC

REF.	DESCRIPTION	€
PN-210	1.H.P. Grinder with professional 1,500 m ³ /h suction power. Front access with door and disposable bag.	



PULICAB

REF.	DESCRIPTION	€
PN-220	3/4 .H.P. Grinding Cabine. Front access with door and powder tray. LED lightning.	
PN-221	Foot support 700 mm. height	
PN-222	Foot support 800 mm. height	

GRINDFLEX



REF.	DESCRIPTION	€
PN-225	1 H.P. Grinder with 950 m3/h professional suction. and glue table with carbon filter.	

PULILAB



REF.	DESCRIPTION	€
PN-203	3/4 H.P. Desktop Grinder with 950 m3/h professional suction.	

PULITEC



REF.	DESCRIPTION	€
PN-202	3/4 H.P. Desktop Grinder with suction prearrangement	

GRINDERS ACCESSORIES



REF.	DESCRIPTION	€
BA-210	GRINDTEC POWDER BAG Produced in high filtration nonwoven fabric.	
BA-207	ORTOTEC POWDER BAG Produced in high filtration nonwoven fabric.	
BA-208	PULILAB POWDER BAG Produced in high filtration nonwoven fabric.	
004011-60	100x90 Sanding Belt Gr. 60 Pack of 5 units	
004011-40	100x90 Sanding Belt Gr. 40 Pack of 5 units	
004011-36	100x90 Sanding Belt Gr. 36 Pack of 5 units	
004011-24	100x90 Sanding Belt Gr. 24 Pack of 5 units	
004009-40	75x30 Sanding Belt Gr. 40 Pack of 5 units	
004009-36	75x30 Sanding Belt Gr. 36 Pack of 5 units	
004009-24	75x30 Sanding Belt Gr. 24 Pack of 5 units	
004015	Combined Scotch-Brite™ Flap Brush 60x40 mm. with 6 mm. diameter axe	
004003	Rubber drum holder 75x30 mm. with 6 mm. diameter axe	
PE-225	Carbon filter for Grindflex	



THERMOPRESS

REF.	DESCRIPTION	€
VN-430	Compact unit for heating and thermo-welding orthotics. AVAILABLE SECOND QUARTER 2021	



PODOSMART

REF.	DESCRIPTION	€
VN-445	Podosmart combines a 360×270 mm. heating plate, a digital control panel with LCD display, 3 selections in a single compact concept.	



THERMOTEC

REF.	DESCRIPTION	€
VN-495	Thermotec combines a 360×270 mm. heating plate, a digital control panel with LCD display, 3 programs and two exterior vacuum outputs in a single compact concept.	



VACUFORM

REF.	DESCRIPTION	€
VN-850	Vacuform combines a 360×270 mm. heating plate, a digital control panel with LCD display, 8 programs and two exterior vacuum outputs in a single compact concept.	
VN-852	V-Twin cooling system	



PODOTEC

REF.	DESCRIPTION	€
VN-800	Podotec combines a 430×330 mm. heating plate, a digital control panel with LCD display, 8 programs and two exterior vacuum outputs in a single compact concept.	

VACUTEC



REF.	DESCRIPTION	€
VN-250	Specially conceived to work on positive mould. Vacutec combines a pressing plate and a high-performance vacuum pump.	
VN-350	Specially conceived to work on positive mould. Vacutec combines a pressing plate, a high-performance vacuum pump and two exterior vacuum outputs.	

PRESSING DECK



REF.	DESCRIPTION	€
PV-250	Pressing deck with external vacuum connection.	



STABIL

REF.	DESCRIPTION	€
VN-478	Platform for 2 V-print	



VAC-CONTROL

REF.	DESCRIPTION	€
VN-476	Control unit with built-in vacuum pump for use with V-print	



DIST-CONTROL

REF.	DESCRIPTION	€
VN-475	Control unit for V-print vacuum bags	



U-PRINT

REF.	DESCRIPTION	€
VN-441	Silicone vacuum bag (it works with Vac-control or vacuum pump)	



VACUUM PUMP

REF.	DESCRIPTION	€
BV-77	Portable Vacuum pump - 3,5 m ³ /h.	



ULTRALIGHT

REF.	DESCRIPTION	€
PD-300	Professional Podoscope 180 mm. height	
PD-305	Professional Podoscope 130 mm. height	



ULTRALIGHT LED RGB

REF.	DESCRIPTION	€
PD-307	Professional Podoscope 180 mm. height with LED color change by handcontrol	



PODOPRINT S4

REF.	DESCRIPTION	€
PO-440	Podoprint pressure platform performs static, dynamic and Posturology studies. Complete and autonomous systems created around the patient that include all the diagnostic, analysis and communication tools. 40x40 cm. captation area	



PODOPRINT WIFI

REF.	DESCRIPTION	€
PO-407	Podoprint pressure platform performs static, dynamic and Posturology studies. Complete and autonomous systems created around the patient that include all the diagnostic, analysis and communication tools. 40x40 cm. captation area wireless	



PODOPRINT S10

REF.	DESCRIPTION	€
PO-500	Podoprint pressure platform performs static, dynamic and Posturology studies. Complete and autonomous systems created around the patient that include all the diagnostic, analysis and communication tools. 100x50 cm. captation area	



PODOPRINT S15

REF.	DESCRIPTION	€
PO-600	Podoprint pressure platform performs static, dynamic and Posturology studies. Complete and autonomous systems created around the patient that include all the diagnostic, analysis and communication tools. 150x50 cm. captation area	



PODOPRINT S4 AND WIFI BAG

REF.	DESCRIPTION	€
PO-404	Carrying bag for Podoprint S4 and Podoprint Wifi	

PODOCART



REF.	DESCRIPTION	€
EN-100	Podiatry Workstation with professional suction. (Micromotor and lamp not included).	

MICRONAM 300



REF.	DESCRIPTION	€
010123	Professional 35.000 r.p.m. portable micromotor	

PODOASSIST



REF.	DESCRIPTION	€
010010	Professional domiciliary assistance bag	

NOVOSEAL



REF.	DESCRIPTION	€
NV12	Novoseal is a high performance thermal sealer featuring innovative design and cutting-edge technology with visual-acoustic messages.	

PELVIMETER



REF.	DESCRIPTION	€
010227	Pelvimeter in polycarbonat with level	

NAMRØL
GROUP

C. Drets Humans, 17-19

08870 Sitges, Barcelona, Spain

www.namrol.com · export@namrol.com

Tel. : +34 938 113 688